

**UNCLASSIFIED**

**AD 404 700**

**DEFENSE DOCUMENTATION CENTER**

**FOR**

**SCIENTIFIC AND TECHNICAL INFORMATION**

**CAMERON STATION, ALEXANDRIA, VIRGINIA**



**UNCLASSIFIED**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

FOR ERRATA

AD 404700

THE FOLLOWING PAGES ARE CHANGES

TO BASIC DOCUMENT

AD 404700

404700

TM-734/032/00B

# TECHNICAL MEMORANDUM

(TM Series)

## DDC AVAILABILITY NOTICE

Qualified requesters may obtain  
copies of this report from DDC.

This document was produced by SDC in performance of contract AF 19(628)-1648, Space Systems Division Program, for Space Systems Division, AFSC.

1604 Simulation Program Descriptions	SYSTEM
Milestone II	
Simulated Vehicle Time Message Makeup Routine	DEVELOPMENT
(SCGR)	
by	CORPORATION
P. T. Kastama	2500 COLORADO AVE.
21 October 1963	SANTA MONICA
Approved	CALIFORNIA
R. E. Busch	

The views, conclusions or recommendations expressed in this document do not necessarily reflect the official views or policies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation, or from authorized agencies of the U.S. Government.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.

DDC

DEC 14 1963

RECORDED IN  
TISIA A

21 October 1963

A


TM-734/032/00B

CURRENT MODIFICATION

<u>Modified Pages</u>	<u>Notes and Filing Instructions</u>
Cover Page	Remove Cover Page and insert Cover Page dated 10/21/63.
A	Remove A page and insert A page dated 10/21/63.
1	ERRATA* Section 1.1, second line. Change "Mod. 04" to "Mod. 05."
2	Remove Page 2 and insert Page 2 dated 10/21/63.
3	Remove Page 3 and insert Page 3 dated 10/21/63.
5	Remove Page 5 and insert Page 5 dated 10/21/63.
6	Remove Page 6 and insert Page 6 and 6A dated 10/21/63.

\*ERRATA modifications are to be entered by hand.

### 3.4 Control Card Format



Where:

Columns 1-4 = Time

5 = A, B or C to specify the type of vehicle time counter.

15-16 = A decimal number ( $01 \leq NN \leq 99$ ) which specifies the desired time interval between time messages. If blank, a period of 30 seconds will be used.

23-24 = A decimal number  $01 \leq BB \leq 22$  which specifies the number of bits in the vehicle time counter.

28-32 = A decimal number of the form X.XXX where  $0.001 \leq X.XXX \leq 9.999$  which specifies the value of the least significant bit of the vehicle time counter.

### 3.5 Error Printouts

If Column 5 of the input card image contains any BCD character other than A, B or C, subroutine SEAPA is entered for an on-line printout of the error, recovery options, and an error halt. The on-line message is:

ILLEGAL VEHICLE TIME TYPE SPECIFIED, PUSH  
START TO GENERATE OTHER DATA OR FIX CARD  
AND RE-START WITH AUTOLOAD.

### 3.6 Output Data Format

The output of SCGR is a vehicle time message packed in the SIPSA System Table, SIMBUF. The message in SIMBUF will appear as follows:

SIMBUF +0	0000	0000	0000	0010
+1	7777	SS15	OOTT	TTTT
+2	VVVV	VVVV	ZZZZ	CKSUM
+3	0000	0000	0000	0000
+4	0000	0000	0000	0000
+5	0000	0000	0000	0000
+6	0000	0000	0000	0000
+7	0000	0000	0000	0000

where:

SS = Station Number

T's = System Time (as defined in TM-(L)-834/000/01)

V's = Specified Vehicle Time

Z's = Fractional part of System Time in milliseconds

CKSUM = Arithmetic Complement Checksum

## 4.0 METHOD

Upon entrance, SCGR determines, by use of the SIPS A elapsed time counter (STCE), whether or not a message should be generated for this particular generation cycle. In other words, a test is made to determine whether NN\* seconds (simulated) of generation time have elapsed since the previous message was formatted. If less than NN seconds have elapsed, an exit is taken with no message formed.

If the time test indicates the need for a time message, the message is generated and placed in the SIPS A System Table, SIMBUF. This message will contain the simulated vehicle time from one of two SIPS A counters, STCA or STCB or if a TIMEC card is read, vehicle time will be determined using the least significant bit value and number of bits from the input card. The particular one to be used is determined by Column 5 of the input card image. After formatting the message, a normal exit is taken. (See Appendix A for a flow diagram of SCGR.)

---

\*NN is the number of seconds specified in the input card image (see Section 3.4.)

## 8.0 VALIDATION TEST

### 8.1 Inputs

The following deck was input to the SIPSA system with standard COP operating procedures to validate the operation of SCGR. (See TM-(L)-734/022/00 for card formats).

```
*13 SIPSA 0 0 5 BUSCH BB
START      31 A B 02404 0008    02 11 07 01 04
TIMEA
GENERATE   0120
TIMEB       10
GENERATE   0120
TIMEC       05 17 0.125
GENERATE   0200
END-XMIT
STOP
```

### 8.2 Outputs

As a result of these inputs, SCGR generated 55 vehicle time messages of the proper type, one for each NN second interval of simulated time. One of the messages taken from a tape dump of the simulation tape follows:


7777	3715	0000	0036
0000	0036	0000	3766
0000	0000	0000	0000

## 9.0 REFERENCES

9.1 TM-(L)-734/015/00, Computer Program Design Specifications for the Simulation of the Augmented SCF Environment at the STA and CPDC (Milestone 4), System Development Corporation, 21 November 1962.

9.2 TM-(L)-734/022/00, Computer Operating Instructions for the Simulated Input Preparation System for the Augmented SCF Environment at the STA and CPDC (SIPSA), Milestone 7, System Development Corporation, 1 February 1963.


9.3 TM-(L)-834/000/01, Bird Buffer Combined Milestone 3 and 4, System Development Corporation, 17 December 1962.

APPENDIX A

21 October 1963

6A

TM-734/032/00B



21 October 1963

TM-734/032/00B

DISTRIBUTION  
(EXTERNAL)

Space Systems Division (Contracting Agency) Maj. C. R. Bond (SSOCD) Maj. N. D. LaVally (SAFSP-206)	PIR-E4 (GE-3198 Chestnut) J. F. Butler C. A. Cummings H. D. Gilman
6594th Aerospace Test Wing (Contracting Agency) Lt. Col. N. S. Alton (TWOI) (10) Lt. Col. M. S. McDowell (TWOCU-2) TWACS (20) + Yellum	PIR-E4 (GE-Bethesda) W. L. Massey PIR-E4 (GE-Box 8661) F. T. Clark J. D. Roger W. R. Weinrich
PIR-E1 (Lockheed) J. A. Boysen B. J. Jones G. D. Lawrence G. J. Taylor R. L. Vader P. E. Williams	PIR-E5 (Aerospace) F. M. Adair C. H. Shorter J. W. Benston R. O. Brandsberg L. H. Garcia G. J. Hansen (3) L. J. Kriesberg J. Sorrels T. R. Parkin E. A. Ragland E. E. Retzlaff H. M. Reynolds D. Saadeh D. D. Stevenson V. White
PIR-E2 (Philco) J. A. Bean J. Calder R. D. Cunningham (3) C. C. Hoagland (4) R. M. Kashef W. Lafleur J. M. McMenomey (3) F. J. Romano (3) J. F. Yore (3)	PIR-E8 (Mellonics) F. Druding
PIR-E3 (DDI) D. F. Criley K. B. Williams	
PIR-E4 (GE-Sunnyvale) D. Alexander (2)	
PIR-E4 (GE-Box 8555) J. S. Brainard H. G. Klose	

21 October 1963

TM-734/032/00B

TRYFON, G. A.	24075	WINSOR, M. E.	22088
TUCKER, A. E.	22113	WINTER, J. E.	24115A
WARSHAW, L.	22073	WOLF, A. W.	24097
WEINSTOCK, M.	22130	WONG, J. P.	SUNNYVALE
WFST, G. P.	22116A	ZACHTE, S. A.	24094
WILLIAMS, H. D.	22110	ZUBRIS, C. J.	24075
WILSON, G. D.	24124	R. Frey	23010
		J. Solomon	23011
		H. Martin	22146

A

21 October 1963

TM-734/032/00B

DISTRIBUTION  
(EXTERNAL)

AFCPL	5	14059		
ALDANA, J.		22127	KOLBO, L. A.	22081
ALPERIN, N. I.		22084	LAUGHLIN, J. L.	24073
ARMSTRONG, E.		24123	LAVINE, J.	24091
BIGGAR, D. A.		24118A	LEE, H.	24090
BILEK, R. W.		22101	LEWIS, H. L.	22095
BURKE, B. E.		24077	LILLY, C. A.	24094
BURKE, R. F.		22082	LITTLE, J. L.	24082B
BUSCH, R. E.		22147B	LONG, F.	22078
BUSTYA, C.		22126	LYTTON, J. G.	22113
CHAMPAIGN, M. E.		22091A	MADRID, G. A.	23015
CHIODINI, C. M.		24086	MAHON, G. A.	24089
CLEMENTS, R. F.		22109	MARIONI, J. D.	24076B
CLINE, B. J.		24127	MARSHALL, R. D.	22088
COGLEY, J. L.		22122	MARIIN, W. P.	24129
CONGER, L.		24076	MCKEOWN, J. C.	22083
COOLEY, P. R.		24081	MILANESE, J. J.	22078
COONS, R. E.		22073	MISSLER, N. J.	24085
COURT, T. D.		23015	MOSS, D.	24083
CRUM, D. W.		24019	MUNSON, J. B.	22096A
DANT, G. B.		24098	MYERS, G. L.	14056A
DECUIR, L. E.		24051A	NELSON, P. A.	23014
DERANGO, W. C.		24090A	NG, J.	23015
DISSE, R. J.		22082	NGOU, L.	24125
DOBRUSKY, W. B.		22152A	OLSON, A. H.	22129
DUGAS, R. L.		22123	OLSON, M. M.	22077
FASTMAN, T. A.		22101	PADGETT, L. A.	24108
ELLIOT, D. W.		24075	PATIN, O. E.	SUNNYVALE
ELLIS, R. C.		22131A	PERRY, G. H.	22095
FRICKSEN, S. R.		22117	PERSICO, D. J.	24105
FELDSTEIN, H. F.		24128	POLK, T. W.	24115B
FETCHEL, J.		22070	REEVES, B. L.	24073
FRANKS, M. A.		24122	REILLY, D. F.	24121
FRIEDMAN, L. A.		22134	REMSTAD, C. L.	25030
GARDNER, S. A.		22160	RESNICK, H.	22135
GIFFORD, R. N.		22134	RITCHIE, C. D.	24075
GRFENWALD, I. D.		22116B	ROBINSON, A. B.	24132
HAAKE, J. W.		22099	SALBA, L.	24083
HENLEY, D. E.		22096	SCHROEDER, J. B.	24124
HILL, C. L.		22161	SCOTT, R. J.	24110
HILLHOUSE, J.		23010	SEACAT, C. M.	SUNNYVALE
HOLZMAN, H. J.		24065B	SHAPIRO, R. S.	24114
HUDSON, G. R.		24126	SHOEL, S. J.	22130
JOHNSON, R. F.		22125	SKELTON, R. H.	22087
KASTAMA, P. T.		23011	STONE, E. S.	24058B
KASTEN, T. V.		24075	SWEENEY, M. J.	25030
KATZ, M.		25014	TABER, W. E.	22153
KAYSER, F. M.		24109	TANOUS, M. A.	22070
KFDYY, J. R.		24107	TENNANT, T. C.	27029
KNEFEMEYER, J. A.		22147A	THOMPSON, J. W.	24082A
KNIGHT, R. D.		22117	TOTSCHEK, R. A.	24118B

UNCLASSIFIED

System Development Corporation,  
Santa Monica, California  
1604 SIMULATION PROGRAM  
DESCRIPTIONS MILESTONE 11  
SIMULATED VEHICLE TIME MESSAGE  
MAKEUP ROUTINE (SCGR).  
Scientific rept., TM-734/032/00B,  
By P. T. Kastama, 21 October 1963, 7p.  
(Contract AF 19(628)-1648, Space Systems  
Division Program, for Space Systems  
Division, AFSC)

Unclassified report

DESCRIPTORS: Programming (Computers).  
Satellite Networks.

UNCLASSIFIED

---

Modifies TM-734/032/00, by  
P. T. Kastama, dated  
21 October 1963, IDC number 404 700.

UNCLASSIFIED

CATALOG NO. ASTIA

A AD 1604  
404700

# TECHNICAL MEMORANDUM

(TM Series)

DDC AVAILABILITY NOTICE

Qualified requesters may obtain copies of this report from DDC.

This document was produced by SDC in performance of contract AF 19(628)-1648, Space Systems Division Program, for Space Systems Division, AFSC.

1604 Simulation Program Descriptions SYSTEM  
Milestone 11.

Simulated Vehicle Time Message Makeup Routine DEVELOPMENT  
(SCGR) CORPORATION  
by

P. T. Kastama 2500 COLORADO AVE.

15 March 1963 SANTA MONICA

Approved CALIFORNIA  
J. B. Munson

The views, conclusions or recommendations expressed in this document do not necessarily reflect the official views or policies of agencies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.



15 March 1963

- 1 -

TM-(L)-734/032/00

TABLE OF CONTENTS

	<u>Page</u>
1.0 IDENTIFICATION.....	1
2.0 PURPOSE.....	1
3.0 USAGE.....	1
3.1 Calling Sequence.....	1
3.2 Operational Procedure.....	1
3.3 Input Parameters.....	1
3.4 Control Card Format.....	2
3.5 Error Printouts.....	2
3.6 Output Data Format.....	2
4.0 METHOD.....	3
5.0 RESTRICTIONS.....	4
5.1 Subroutine Restriction.....	4
5.2 Subroutines Required.....	4
5.3 RIPOOL Items Used.....	4
5.4 External Tables Required.....	4
6.0 TIMING.....	4
7.0 STORAGE REQUIREMENTS.....	4
8.0 VALIDATION TEST.....	5
8.1 Inputs.....	5
8.2 Outputs.....	5
9.0 REFERENCES.....	5
APPENDIX A - Flow Diagram of SCGR.....	6

15 March 1963

- 1 -

TM-(L)-734/032/00

1.0 IDENTIFICATION

1.1 Title

Simulated Vehicle Time Message Makeup Routine (SCGR)

Ident: K06, Mod. 03

1.2 Programmed

December 1962, R. E. Busch, System Development Corporation

1.3 Documented

March 1963, P. T. Kastama, System Development Corporation

2.0 PURPOSE

This program will generate vehicle time messages once for every NN seconds of simulated time. These messages will then be included on a simulated Bird Buffer - 1604 Transfer Tape, or a Bird Buffer Simulation Tape.

3.0 USAGE

3.1 Calling Sequence

L	RTJ	SCGR
L+1	NORMAL RETURN	

3.2 Operational Procedure

SCGR may only be used with the SIPSA system. The SIPSA control program will set up the above calling sequence after performing several initialization operations. (See TM-(L)-734/022/00 for information on the SIPSA system.)

3.3 Input Parameters


The SIPSA System Time cells STCA, STCB, STCC, STCD, and STCE must have been preset and updated by the control function.

15 March 1963

- 2 -

TM-(L)-734/032/00

### 3.4 Control Card Format



where:

Columns 1-4 = Time

5 = A or B to specify the type of vehicle time counter.

15-16 = A decimal number ( $01 \leq NN \leq 99$ ) which specifies the desired time interval between time messages. If blank, a period of 30 seconds will be used.

### 3.5 Error Printouts

If Column 5 of the input card image contains any BCD character other than A or B, subroutine SEAPA is entered for an on-line printout of the error, recovery options, and an error halt. The on-line message is:

ILLEGAL VEHICLE TIME TYPE SPECIFIED, PUSH  
START TO GENERATE OTHER DATA OR FIX CARD  
AND RE-START WITH AUTOLOAD.

### 3.6 Output Data Format

The output of SCGR is a vehicle time message packed in the SIPSA System Table, SIMBUF. The message in SIMBUF will appear as follows:

SIMBUF +0	0000	0000	0000	0010
+1	7777	SS15	00TT	TTTT
+2	VVVV	VVVV	ZZZZ	CKSUM
+3	0000	0000	0000	0000
+4	0000	0000	0000	0000
+5	0000	0000	0000	0000
+6	0000	0000	0000	0000
+7	0000	0000	0000	0000

where:  
 SS = Station Number  
 T's = System Time (as defined in TM-(L)-834/000/01)  
 V's = Specified Vehicle Time  
 Z's = Fractional part of System Time in milliseconds  
 CKSUM = Arithmetic Complement Checksum

#### 4.0 METHOD

Upon entrance, SCGR determines, by use of the SIPSA elapsed time counter (STCB), whether or not a message should be generated for this particular generation cycle. In other words, a test is made to determine whether NN\* seconds (simulated) of generation time have elapsed since the previous message was formatted. If less than NN seconds have elapsed, an exit is taken with no message formed.

If the time test indicates the need for a time message, the message is generated and placed in the SIPSA System Table, SIMBUF. This message will contain the simulated vehicle time from one of two SIPSA counters, STCA or STCB. The particular one to be used is determined by Column 5 of the input card image. After formatting the message, a normal exit is taken. (See Appendix A for a flow diagram of SCGR.)

\*NN is the number of seconds specified in the input card image (See Section 3.4.)

15 March 1963

- 4 -

TM-(L)-734/032/00

5.0 RESTRICTIONS

5.1 This subroutine is not a COP function and may only be used with the SIPSA system.

5.2 Subroutines Required

SIPSA	SIMBLANK
SDGC	DECOCT
SEAPA	

5.3 RIPOOL Items Used

ST

5.4 External Tables Required

SIMBUF	STCC
STCA	STCD
STCB	STCE

6.0 TIMING\*

Minimum	Maximum
0.3 milliseconds	1.2 milliseconds

7.0 STORAGE REQUIREMENTS

	<u>Decimal</u>	<u>Octal</u>
Program	60	75
Constants	3	3
Temporary Storage	<u>20</u>	<u>24</u>
Total	83	123

(\*Timing values were computed based on average instruction times.)

15 March 1963

- 5 -

TM-(L)-734/032/00

8.0 VALIDATION TEST

8.1 Inputs

The following deck was input to the SIPS A system with standard COP operating procedures to validate the operation of SCGR. (See TM-(L)-734/022/00 for card formats.)

```
*13 SIPS A 0 0 5 BUSCH BB
      START    31 A B 02404 0008     02 11 07 01 04
      TIMEA
      GENERATE 0120
      TIMEB      10
      GENERATE 0120
      END-XMIT
      STOP
```

8.2 Outputs

As a result of these inputs, SCGR generated eight vehicle time messages of the proper type, one for each 30 second interval of simulated time. One of the messages taken from a tape dump of the simulation tape follows:

7777	3715	0000	0036
0000	0036	0000	3766
0000	0000	0000	0000

9.0 REFERENCES

9.1 TM-(L)-734/015/00, Computer Program Design Specifications for the Simulation of the Augmented SCF Environment at the STA and CPDC (Milestone 4), System Development Corporation, 21 November 1962.

9.2 TM-(L)-734/022/00, Computer Operating Instructions for the Simulated Input Preparation System for the Augmented SCF Environment at the STA and CPDC (SIPS A), Milestone 7, System Development Corporation, 1 February 1963.


9.3 TM-(L)-834/000/01, Bird Buffer Combined Milestone 3 and 4, System Development Corporation, 17 December 1962.

15 March 1963

- 6 -

TM-(L)-734/032/00


APPENDIX A



15 March 1963

- 7 -


TM-(L)-734/032/00



15 March 1963

- 8 -  
(Last Page)

TM-(L)-734/032/00



15 March 1963

TM-(L)-734/032/00

DISTRIBUTION  
(EXTERNAL)

Space Systems Division  
(Contracting Agency)

Maj. C. R. Bond (SSOCD)  
Maj. N. D. LaVally (SSOX)

PIR-E4 (GE-Box 8555)

J. S. Brainard  
R. J. Katucki  
J. D. Selby

6594th Aerospace Test Wing  
(Contracting Agency)

Lt. Col. A. W. Dill (TWRD) (10)  
Lt. Col. M. S. McDowell (TWRU)  
TWACS (20)

PIR-E4 (GE-3198 Chestnut)

J. F. Butler  
C. A. Cummings  
H. D. Gilman

PIR-E1 (Lockheed)

J. A. Boysen  
N. N. Epstein  
W. E. Moorman  
G. F. Taylor  
R. L. Vader  
P. E. Williams

PIR-E4 (GE-Bethesda)

W. L. Massey  
F. T. Clark  
J. D. Rogers  
W. R. Weinrich

PIR-E2 (Philco)

J. A. Bean  
J. A. Isaacs  
R. Morrison  
S. M. Stanley

PIR-E5 (Aerospace)

A. Bakst  
J. W. Bengston  
R. V. Bigelow  
R. O. Brandsberg  
L. H. Garcia  
G. J. Hansen  
M. L. Luther  
T. R. Parkin  
E. E. Retzlaff  
R. G. Stephenson  
D. D. Stevenson  
V. White

PIR-E3 (LFE)

D. F. Criley  
K. B. Williams

PIR-E4 (GE-Santa Clara)

D. Alexander

PIR-E4 (GE-Sunnyvale)

J. Farrentine  
N. Kirby

PIR-E8 (Mellonics)

F. Druding

(3)

15 March 1963

TM-(L)-734/032/00

<u>NAME</u>	<u>ROOM</u>
D. Reilly	24121
A. Robinson	24132
M. Rockwell	24086
J. Schroeder	24124
R. Scott	24110
C. Seacat	Sunnyvale
H. Seiden	22126
R. Shapiro	24110
S. Shoel	23007
R. Skelton	22152
N. Speer	24086
E. Stone	24058
M. Sweeney	25026
W. Taber	22101
T. Tennant	27029
J. Thompson	24088
C. Toche	24121
R. Totschek	24120
A. Tucker	22109
A. Vorhaus	24076
M. Weinstock	22131
S. Weems	22109
G. West	Sunnyvale
G. P. West	22116
H. Williams	22110
G. Wilson	24124
M. Winsor	22156
J. Winter	24117
R. Wise	22085
J. Wong	Sunnyvale
C. Zubris	24075
AFCPL	(5)
	14059

15 March 1963

TM-(L)-734/032/00

DISTRIBUTION  
(INTERNAL)

<u>NAME</u>	<u>ROOM</u>	<u>NAME</u>	<u>ROOM</u>
D. Allfree	24083	J. Haake	22153
J. Aldana	22131	D. Henley	22094
L. Alexander	22134	C. Hill	22101
N. Alperin	22153	J. Hillhouse	22078
E. Armstrong	24123	H. Holzman	24065
		G. Hudson	24126
C. Becerra	24082	R. Johnson	22125
D. Biggar	24118		
R. Bilek	23007	P. Kastama	22076
L. Brenton	24103	M. Katz	25014
B. Burke	24086	F. Kayser	24109
R. Burke	22158	J. Keddy	24105
R. Busch	22088	D. Key	23013
C. Bustya	22134	R. Keyes	24073
M. Champaign	22152	J. Kneemeyer	22088
C. Chiodini	24091	R. Knight	22119
B. Ciaccia	24082	L. Kolbo	22155
R. Clements	22109		
B. Cline	24127	J. Laughlin	24073
J. Cogley	22156	J. LaVine	24093
L. Conger	24088	H. Levis	23010
P. Cooley	24086	J. Little	24088
D. Crum	24105	F. Long	22156
		J. Lytton	24077
L. DeCuir	24053		
W. Derango	24082	G. Madrid	22081
G. Dexter	25016	G. Mahon	24089
R. Disse	23014	J. Marioni	24076
G. Dobbs	22116	R. Marshall	22160
W. Dobrusky	24065	W. Martin	24127
R. Dugas	22125	J. McKeown	23013
		J. Milanese	22155
R. Ellis	22131	J. Munson	22087
R. Ericksen	22113	G. Myers	22095
H. Feldstein	24128	P. Nelson	24075
C. Francis	25013	J. Ng	22077
H. Franks	24122	L. Ngou	24127
R. Frey	22078		
L. Friedman	22122	M. Olson	22161
S. Gardner	25026	L. Padgett	24110
V. Gergen	25014	E. Patin	Sunnyvale
I. Greenwald	22094	D. Persico	24083
		T. Polk	24113

UNCLASSIFIED

System Development Corporation,  
Santa Monica, California  
1604 SIMULATION PROGRAM DESCRIPTIONS  
MILESTONE 11 SIMULATED VEHICLE TIME  
MESSAGE MAKEUP ROUTINE (SCGR).  
Scientific rept., TM(L)-734/032/00,  
by P. T. Kastama. 15 March 1963,  
8p., 3 refs.  
(Contract AF 19(628)-1648, Space  
Systems Division Program, for Space  
Systems Division, AFSC)

Unclassified report

DESCRIPTORS: Programming (Computers) -  
Satellite Networks.

UNCLASSIFIED

Reports that SCGR (Simulated  
Vehicle Time Message Makeup  
Routine) will generate vehicle  
time messages once for every MM  
seconds of simulated time. Also  
reports that these messages will  
be included on a simulation  
Bird Buffer - 1604 Transfer  
Tape, or a Bird Buffer Simulation  
Tape.

UNCLASSIFIED

UNCLASSIFIED